

(Contract Management Use only)

CONTRACT APPROVAL FORM

2012 DEC 21 PM 4:15

CONTRACT TRACKING NO.

Cm1919-08

CONTRACTOR INFORMATION

Name: CopyFax, Inc

Address: 6631 N Executive Pk Court, Suite 210 Jacksonville, FL 32216

Contractor's Administrator Name: Richard Durrant Title: Education & Government Sales Manager

Tel#: 904-296-1600 Ext 2413 Fax: 904-296-7111 Email: richarddurrant@copyfax.com

CONTRACT INFORMATION

Contract Name: Maintenance and Supply Agreement for Ricoh Color Copier MPC6501 Contract Value: \$3,300 Est.

Brief Description: 36 month Maintenance and Supply agreement for Ricoh Color Copier MPC6501 at \$.0055 per copy black and white print and \$.045 per color print.

Contract Dates : From: 1/1/13 to 12/31/16 Status: New Renew Amend# WA/Task Order

How Procured: Sole Source Single Source ITB RFP RFQ Coop. Other Piggyback Contract

If Processing an Amendment:

Contract #: _____ Increase Amount of Existing Contract: _____ No Increase

New Contract Dates: _____ to _____ TOTAL OR AMENDMENT AMOUNT: _____

APPROVALS PURSUANT TO NASSAU COUNTY PURCHASING POLICY, SECTION 6

- | | | | |
|----|--|-------------------------|--|
| 1. | <u>Robert McKinney</u>
Department Head Signature | <u>10/9/12</u>
Date | Charges based on usage
Funding Source/Acct #
45246515-546020 |
| 2. | <u>Charlette Young</u>
Contract Management | <u>12-21-12</u>
Date | 45245524-546020
45249515-546020 |
| 3. | <u>[Signature]</u>
Office of Management & Budget | <u>12-20-12</u>
Date | |
| 4. | <u>[Signature]</u>
County Attorney (approved as to form only) | <u>12-21-12</u>
Date | |

Comments: _____

COUNTY MANAGER- FINAL SIGNATURE APPROVAL

Ted Selby [Signature] 12/21/12
Date

RETURN ORIGINAL(S) TO CONTRACT MANAGEMENT FOR DISTRIBUTION AS FOLLOWS:

- Original: Clerk's Services; Contractor (original or certified copy)
- Copy: Department
Office of Management & Budget
Contract Management
Clerk Finance



OCTOBER 2, 2012

**PROPOSAL
FOR
NASSAU COUNTY
BUILDING DEPARTMENT**

RICOH MP6501 COLOR COPIER	\$367.97
SR4030 FINISHER-STAPLER	34.95

LEASE OPTIONS

36 MONTHS @ \$402.92 PER MONTH

UNIVERSITY OF SOUTH FLORIDA #9-13-G

36 MONTH LEASE

MAINTENANCE AND SUPPLY AGREEMENT

TO INCLUDE ALL PARTS, LABOR, SERVICE CALLS AND
SUPPLIES EXCEPT PAPER AND STAPLES AT \$.0055 PER
BLACK AND WHITE PRINT AND \$.045 PER COLOR PRINT.

Jacksonville 
6631 N Executive Park Court
Suite 210
Jacksonville, FL 32216
Phone: 904.296.1600
Fax: 904.296.7111

Gainesville 
3210 SW 40th Blvd.
Suite A-2
Gainesville, FL 32608
Phone: 352.336.1771
Fax: 352.336.8151

St. Augustine 
140 Gateway Circle
Suite 1
St. Johns, FL 32259
Phone: 904.827.0178
Fax: 904.208.5105

Daytona Beach 
480 Fentress Blvd
Suite L
Daytona Beach, FL 32114
Phone: 386.252.2292
Fax: 386.252.0920

USF RICOH SAVIN LANIER

Purchase / Lease / Full Maintenance
Schedule B to
Ricoch Master Pricing Agreement
Terms & Conditions to reference Ricoch Master Pricing Agreement.

Effective:
2/15/2012

Copies Prints Developments Per Minute	Ricoch / Savin / Lanier Equipment and Options Price Per Unit	Ricoch Reorder Number	Savin Reorder Number	Lanier Reorder Number	IKON VPN Number	Feb-12 Suggested Retail Price	Contract Equipment Purchase Price	FHV Lease 24 Monthly Payments	FHV Lease 36 Monthly Payments	FHV Lease 48 Monthly Payments	FHV Lease 60 Monthly Payments	Service Level	Monthly Dues \$	Monthly Allowance	Ricoch Alternative OPC Service Plan	
															Monthly & Annual Plans Exclude Supplies	Exclude Supplies
	Booklet Finisher 582110**	410037	410037	410037	410037	5,110	1,253	74.45	40.00	37.70	31.87	0	0.00	0	\$0.0000	
	Punch Unit 40 P10020 32, Hole	412855	412855	412855	412855	100	282	12.71	7.00	6.45	5.44	0	0.00	0		
	1 Bin Tray 015150**	412856	412856	412856	412856	500	212	10.20	6.30	5.22	4.45	0	0.00	0		
	Key Counter Bracket Type H	412522	412522	412522	412522	100	48	2.33	1.44	1.10	0.90	0	0.00	0		
	Optional Counter Interface Unit Type A	413012	413012	413012	413012	100	31	1.50	0.93	0.70	0.64	0	0.00	0		
	Pullin Cover Type 332**	413012	413012	413012	413012	100	45	2.10	1.35	1.11	0.93	0	0.00	0		
	Cash Reader Bracket Type 332E	412814	412814	412814	412814	100	62	3.01	1.87	1.53	1.20	0	0.00	0		
	ADF Reader Type C	412813	412813	412813	412813	200	79	3.83	2.30	1.94	1.64	0	0.00	0		
	ADF Reader Type D	412811	412811	412811	412811	270	100	5.14	3.10	2.61	2.20	0	0.00	0		
	Envelope Feeder EF3020**	412272	412272	412272	412272	2,100	100	5.20	3.00	2.60	2.20	0	0.00	0		
	Fax Options:															
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17	4.29	0	0.00	0		
	Fax Option Type C502**	412891	412891	412891	412891	1,400	302	10.10	6.09	5.17						

USF UNIVERSITY OF
SOUTH FLORIDA

• **AWARDED BIDS** •

INVITATION TO NEGOTIATE NUMBER: 9-13-G BID TITLE: Copiers, Printers and Multi-Functional Printers

Award To:

Lot:

Bell Techlogix, Inc.

Lot I

Dell Marketing L.P.

Lot I

Konica Minolta Business
Solutions U.S.A., Inc.

Lot II

Ricoh Americas Corporation

Lots I & II

Xerox Corporation

Lots I & II

IN PROPOSAL TABULATION

TITLE: Copiers, Printers and Multi-Functional Printers

NUMBER: 9-13-G

OPENING DATE: May 22, 2009 TIME 3:00 P.M.

AWARDED DATE Oct 14, 2009

POSTING TIME/DATE
FROM: 2pm 10/14/09

UNTIL: 2pm 10/19/09

PAGE: 1 OF 4 PAGE(S)

FAILURE TO FILE A PROTEST WITHIN THE TIME PRESCRIBED IN SECTION 120.57(3), FLORIDA STATUTES, OR FAILURE TO POST THE BOND OR OTHER SECURITY REQUIRED BY LAW WITHIN THE TIME ALLOWED FOR FILING A BOND SHALL CONSTITUTE A WAIVER OF PROCEEDINGS UNDER CHAPTER 120, FLORIDA STATUTES. ALL BIDS/PROPOSALS ACCEPTED BY THE STATE ARE SUBJECT TO THE STATE'S TERMS AND CONDITIONS AND ANY AND ALL ADDITIONAL TERMS AND CONDITIONS SUBMITTED BY THE BIDDERS/PROPOSERS ARE REJECTED AND SHALL HAVE NO FORCE AND EFFECT. OFFERS FROM THE VENDORS LISTED HEREIN ARE THE ONLY OFFERS RECEIVED TIMELY AS OF THE ABOVE OPENING DATE AND TIME. ALL OTHER OFFERS SUBMITTED IN RESPONSE TO THIS SOLICITATION, IF ANY, ARE HEREBY REJECTED AS LATE.

NOTICE OF BID/PROPOSALS PROTEST BONDING REQUIREMENT- ANY PERSON WHO FILES AN ACTION PROTESTING A DECISION OR INTENDED DECISION PERTAINING TO A SOLICITATION SHALL AT THE TIME OF FILING OF THE FORMAL PROTEST, POST WITH THE UNIVERSITY A BOND PAYABLE TO THE UNIVERSITY OF SOUTH FLORIDA IN AN AMOUNT EQUAL TO: 10 PERCENT OF THE ESTIMATED VALUE OF THE PROTESTOR'S BID OR PROPOSAL; 10 PERCENT OF THE ESTIMATED EXPENDITURE DURING THE CONTRACT TERM; \$10,000; OR WHICHEVER IS LESS. THE BOND SHALL BE CONDITIONED UPON THE PAYMENT OF ALL COSTS WHICH MAY BE ADJUDGED AGAINST THE CONTRACTOR FILING THE PROTEST ACTION. IN LIEU OF A BOND, THE UNIVERSITY MAY ACCEPT A CASHIER'S CHECK OR MONEY ORDER IN THE AMOUNT OF THE BOND. FAILURE TO FILE THE PROPER BOND AT THE TIME OF FILING THE FORMAL PROTEST, SHALL RESULT IN A DENIAL OF THE PROTEST.

DESCRIPTION/VENDORS	Dos Imaging		Bell Technologia		Dell Marketing		Toshiba Business Solutions		Gov Connection	
ITN COVER SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 1 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 2 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
EEO SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
W9 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
MINORITY VENDOR ENTERPRISE RESPONSE (#44)	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	YES	NO	YES	NO
PROPOSAL CONTENT	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
# PROPOSAL COPIES	original 3 copies		original 4 copies		original 4 copies		original 4 copies		original 4 copies	
NO BID	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO
DISQUALIFIED (REASON/S)			LOT I		LOT I					

OPENED BY: Mark Lillquist TABULATED BY: Lazara Skinnette VERIFIED BY: _____

REMARKS: CIRCLED PRICE INDICATES INTENT TO AWARD.

N TITLE: Copiers, Printers and Multi-Functional Printers

N NUMBER: 9-13-G

PENING DATE: May 22, 2009 **TIME:** 3:00 P.M.

WARDED DATE: _____

POSTING TIME/DATE

FROM: _____ / _____

UNTIL: _____ / _____

PAGE: 2 **OF** 4 **PAGE(S)**

FAILURE TO FILE A PROTEST WITHIN THE TIME PRESCRIBED IN SECTION 120.57(3), FLORIDA STATUTES, OR FAILURE TO POST THE BOND OR OTHER SECURITY REQUIRED BY LAW WITHIN THE TIME ALLOWED FOR FILING A BOND SHALL CONSTITUTE A WAIVER OF PROCEEDINGS UNDER CHAPTER 120, FLORIDA STATUTES. ALL BIDS/PROPOSALS ACCEPTED BY THE STATE ARE SUBJECT TO THE STATE'S TERMS AND CONDITIONS AND ANY AND ALL ADDITIONAL TERMS AND CONDITIONS SUBMITTED BY THE BIDDERS/PROPOSERS ARE REJECTED AND SHALL HAVE NO FORCE AND EFFECT. OFFERS FROM THE VENDORS LISTED HEREIN ARE THE ONLY OFFERS RECEIVED TIMELY AS OF THE ABOVE OPENING DATE AND TIME. ALL OTHER OFFERS SUBMITTED IN RESPONSE TO THIS SOLICITATION, IF ANY, ARE HEREBY REJECTED AS LATE.

NOTICE OF BID/PROPOSALS PROTEST BONDING REQUIREMENT- ANY PERSON WHO FILES AN ACTION PROTESTING A DECISION OR INTENDED DECISION PERTAINING TO A SOLICITATION SHALL AT THE TIME OF FILING OF THE FORMAL PROTEST, POST WITH THE UNIVERSITY A BOND PAYABLE TO THE UNIVERSITY OF SOUTH FLORIDA IN AN AMOUNT EQUAL TO: 10 PERCENT OF THE ESTIMATED VALUE OF THE PROTESTOR'S BID OR PROPOSAL; 10 PERCENT OF THE ESTIMATED EXPENDITURE DURING THE CONTRACT TERM: \$10,000; OR WHICHEVER IS LESS. THE BOND SHALL BE CONDITIONED UPON THE PAYMENT OF ALL COSTS WHICH MAY BE ADJUDGED AGAINST THE CONTRACTOR FILING THE PROTEST ACTION. IN LIEU OF A BOND, THE UNIVERSITY MAY ACCEPT A CASHIER'S CHECK OR MONEY ORDER IN THE AMOUNT OF THE BOND. FAILURE TO FILE THE PROPER BOND AT THE TIME OF FILING THE FORMAL PROTEST, SHALL RESULT IN A DENIAL OF THE PROTEST.

DESCRIPTION/VENDORS	Canon Business Solutions		PC Mall Gov.		West Coast Copies		Xero Graphics		Ricoh	
TIN COVER SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	YES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 1 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 2 SIGNED	YES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	YES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
EEO SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	YES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
W9 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
MINORITY VENDOR ENTERPRISE RESPONSE (#44)	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	YES	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
PROPOSAL CONTENT	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
# PROPOSAL COPIES	1 + 4 copies		1 + 4 copies		1 + 2 copies		1 + 4 copies		1 + 4 copies	
NO BID	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO
DISQUALIFIED (REASON/S)									LOTS I-III	

OPENED BY: Mark Lillquist **TABULATED BY:** Larara Stinnette **VERIFIED BY:** _____

REMARKS: CIRCLED PRICE INDICATES INTENT TO AWARD.

REV.8/7/2008

TITLE: Copiers, Printers and Multi-Functional Printers

NUMBER: 9-13-G

PENING DATE: May 22, 2009 TIME 3:00 P.M.

WARDED DATE

POSTING TIME/DATE

FROM: _____ / _____

UNTIL: _____ / _____

PAGE: 3 OF 4 PAGE(S)

FAILURE TO FILE A PROTEST WITHIN THE TIME PRESCRIBED IN SECTION 120.57 (3), FLORIDA STATUTES, OR FAILURE TO POST THE BOND OR OTHER SECURITY REQUIRED BY LAW WITHIN THE TIME ALLOWED FOR FILING A BOND SHALL CONSTITUTE A WAIVER OF PROCEEDINGS UNDER CHAPTER 120, FLORIDA STATUTES. ALL BIDS/PROPOSALS ACCEPTED BY THE STATE ARE SUBJECT TO THE STATE'S TERMS AND CONDITIONS AND ANY AND ALL ADDITIONAL TERMS AND CONDITIONS SUBMITTED BY THE BIDDERS/PROPOSERS ARE REJECTED AND SHALL HAVE NO FORCE AND EFFECT. OFFERS FROM THE VENDORS LISTED HEREIN ARE THE ONLY OFFERS RECEIVED TIMELY AS OF THE ABOVE OPENING DATE AND TIME. ALL OTHER OFFERS SUBMITTED IN RESPONSE TO THIS SOLICITATION, IF ANY, ARE HEREBY REJECTED AS LATE.

NOTICE OF BID/PROPOSALS PROTEST BONDING REQUIREMENT- ANY PERSON WHO FILES AN ACTION PROTESTING A DECISION OR INTENDED DECISION PERTAINING TO A SOLICITATION SHALL AT THE TIME OF FILING OF THE FORMAL PROTEST, POST WITH THE UNIVERSITY A BOND PAYABLE TO THE UNIVERSITY OF SOUTH FLORIDA IN AN AMOUNT EQUAL TO: 10 PERCENT OF THE ESTIMATED VALUE OF THE PROTESTOR'S BID OR PROPOSAL; 10 PERCENT OF THE ESTIMATED EXPENDITURE DURING THE CONTRACT TERM; \$10,000; OR WHICHEVER IS LESS. THE BOND SHALL BE CONDITIONED UPON THE PAYMENT OF ALL COSTS WHICH MAY BE ADJUDGED AGAINST THE CONTRACTOR FILING THE PROTEST ACTION. IN LIEU OF A BOND, THE UNIVERSITY MAY ACCEPT A CASHIER'S CHECK OR MONEY ORDER IN THE AMOUNT OF THE BOND. **FAILURE TO FILE THE PROPER BOND AT THE TIME OF FILING THE FORMAL PROTEST, SHALL RESULT IN A DENIAL OF THE PROTEST.**

DESCRIPTION/VENDORS	Son Print		Konica Minolta		TECH DEPOT		Zeno Office Solutions		SkyWay Technology Group	
ITN COVER SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 1 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	YES	<input type="checkbox"/>	YES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO
ADDENDUM NO. 2 SIGNED	YES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO	YES	<input type="checkbox"/>	YES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO
EEO SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
W9 SIGNED	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
MINORITY VENDOR ENTERPRISE RESPONSE (#44)	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO
PROPOSAL CONTENT	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	<input checked="" type="checkbox"/>	NO	YES	NO	<input checked="" type="checkbox"/>	NO
# PROPOSAL COPIES	1 orig + 4 copies		1 + 4 copies		1 + 1 copy		1 + 4 copies		1 + 4 copies	
NO BID	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO
DISQUALIFIED (REASON/S)			LOT 2							

PENED BY: Mark Lillquist TABULATED BY: Lazara Stinette VERIFIED BY: _____

REMARKS: CIRCLED PRICE INDICATES INTENT TO AWARD.

TN PROPOSAL TABULATION

TN TITLE: Copiers, Printers and Multi-Functional Printers

TN NUMBER: 9-13-G

OPENING DATE: May 22, 2009 TIME 3:00 P.M.

AWARDED DATE _____

POSTING TIME/DATE
FROM: _____ / _____

UNTIL: _____ / _____

PAGE: 4 OF 4 PAGE(S)

FAILURE TO FILE A PROTEST WITHIN THE TIME PRESCRIBED IN SECTION 120.57(3), FLORIDA STATUTES, OR FAILURE TO POST THE BOND OR OTHER SECURITY REQUIRED BY LAW WITHIN THE TIME ALLOWED FOR FILING A BOND SHALL CONSTITUTE A WAIVER OF PROCEEDINGS UNDER CHAPTER 120, FLORIDA STATUTES. ALL BIDS/PROPOSALS ACCEPTED BY THE STATE ARE SUBJECT TO THE STATE'S TERMS AND CONDITIONS AND ANY AND ALL ADDITIONAL TERMS AND CONDITIONS SUBMITTED BY THE BIDDERS/PROPOSERS ARE REJECTED AND SHALL HAVE NO FORCE AND EFFECT. OFFERS FROM THE VENDORS LISTED HEREIN ARE THE ONLY OFFERS RECEIVED TIMELY AS OF THE ABOVE OPENING DATE AND TIME. ALL OTHER OFFERS SUBMITTED IN RESPONSE TO THIS SOLICITATION, IF ANY, ARE HEREBY REJECTED AS LATE.

NOTICE OF BID/PROPOSALS PROTEST BONDING REQUIREMENT- ANY PERSON WHO FILES AN ACTION PROTESTING A DECISION OR INTENDED DECISION PERTAINING TO A SOLICITATION SHALL AT THE TIME OF FILING OF THE FORMAL PROTEST, POST WITH THE UNIVERSITY A BOND PAYABLE TO THE UNIVERSITY OF SOUTH FLORIDA IN AN AMOUNT EQUAL TO: 10 PERCENT OF THE ESTIMATED VALUE OF THE PROTESTOR'S BID OR PROPOSAL; 10 PERCENT OF THE ESTIMATED EXPENDITURE DURING THE CONTRACT TERM; \$10,000; OR WHICHEVER IS LESS. THE BOND SHALL BE CONDITIONED UPON THE PAYMENT OF ALL COSTS WHICH MAY BE ADJUDGED AGAINST THE CONTRACTOR FILING THE PROTEST ACTION. IN LIEU OF A BOND, THE UNIVERSITY MAY ACCEPT A CASHIER'S CHECK OR MONEY ORDER IN THE AMOUNT OF THE BOND. FAILURE TO FILE THE PROPER BOND AT THE TIME OF FILING THE FORMAL PROTEST, SHALL RESULT IN A DENIAL OF THE PROTEST.

DESCRIPTION/VENDORS	Xerox									
ITN COVER SIGNED	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
ADDENDUM NO. 1 SIGNED	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
ADDENDUM NO. 2 SIGNED	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
EEO SIGNED	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
W9 SIGNED	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
MINORITY VENDOR ENTERPRISE RESPONSE (#44)	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
PROPOSAL CONTENT	<input checked="" type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
# PROPOSAL COPIES	1 + 4 copies									
NO BID	<input type="radio"/> YES	<input type="radio"/> NO	YES	NO	YES	NO	YES	NO	YES	NO
DISQUALIFIED (REASON/S)	LOTS I & II									



OPENED BY: Mark Lillquist TABULATED BY: Lazara Stimette VERIFIED BY: _____

REMARKS: CIRCLED PRICE INDICATES INTENT TO AWARD.


Ricoh Aficio MP C6501SP/C7501SP
Color Digital Imaging System
Exceptional Speed, Outstanding Quality

RICOH



fast



versatile



color



Ricoh Aficio MP C6501SP/C7501SP

Stay competitive and reduce total cost of ownership.

Engineered to provide outstanding speed and image quality, the RICOH® Aficio® MP C6501SP/C7501SP is a complete solution for fast-paced offices and select high-volume environments, such as centralized reprographics departments. This powerful system delivers the advanced performance you need to handle any document-related task quickly and efficiently. It has the capacity and reliability to consolidate color volume to a single, cost-effective system. It also offers the flexible finishing, versatile paper handling and the impressive color quality you need to eliminate outsourcing and minimize total cost of ownership (TCO).

Speed Efficiency Reliability Quality

Proven Productivity

Staying competitive means doing more work in less time with accuracy and reliability. Trust the Ricoh Aficio MP C6501SP/C7501SP to provide exactly what demanding users need.

- Reduce turnaround time with fast output. The MP C6501SP delivers 60 color and 65 black & white pages per minute and the MP C7501SP achieves speeds up to 70 color and 75 black & white pages per minute. Both offer duplexing at 100% of rated speed.
- Accelerate productivity with one-pass duplex scanning. This not only reduces scan time, it minimizes wear and tear on sensitive originals.
- Navigate to the features you need in just a few quick selections. The large full-color WVGA control panel is the same intuitive LCD touch-screen available on all Ricoh MFPs, so you can upgrade the fleet without retraining users.
- Meet tight deadlines and complete quick-turn jobs with one of the shortest warm-up times and fastest first copy times of any high-speed color device in its class.
- Optimize efficiency with the ability to reload paper without interrupting the current job. Total paper capacity with all options is an incredible 7,400 sheets.

High-End Finishing


Extend the possibilities of document production with a variety of paper handling accessories and professional-grade finishing options.

- Experiment with new formats. The Multi-Fold Unit offers six folding options, including Half-Fold, Double Parallel Fold and Gate-Fold.
- Create full-color output on a wide range of paper grades. The system accepts up to 140 lb. Index (253 g/m²) through the Paper Trays and up to 110 lb. Cover (300 g/m²) through the Bypass Tray.
- Improve uptime with the optional Large Capacity Tray. This 2,000-sheet accessory holds paper sizes up to 12" x 18" and weights up to 110 lb. Cover (300 g/m²).
- Distribute high-quality finished documents with stapling, hole punching, ring binding or saddle-stitching, depending on your needs.


Reduce Operating Costs

In addition to its best-in-class affordability, the Ricoh Aficio MP C6501SP/C7501SP delivers the speed and versatility organizations need to keep operating expenses low.


- Perform a wide variety of color and finishing tasks in-house, eliminating the need to outsource complex jobs to expensive third-party providers.
- Consolidate jobs from multiple laser or inkjet printers to cut supply costs.
- Print marketing collateral, forms, training packets and other documents on demand instead of managing large volumes of preprinted inventory.
- Empower creative teams to produce high-quality layouts, proofs and mock-ups with exceptional speed and quality.
- Improve workflow in copy shops and print-for-pay environments by adding high-quality color capacity and finishing capabilities that are ideal for quick-turn jobs.



Scan both sides of any original without feeding it twice using single-pass duplex scanning.



Create a variety of full-color documents with different folding options.



Choose the Ring Bind Unit to create ready-to-distribute training packets, reports and other lengthy documents.

Equipped to Optimize Productivity


Enhance Performance and Quality While Reducing Cost

Optional Cover Interposers
Feed pre-printed sheets from one or two sources for front and back covers.

Optional 3,000-Sheet Finishers
Choose from 50- or 100-sheet stapling and 2- or 3-hole punching.

Optional 2,000-Sheet Booklet Finisher
Fold and staple full-color documents to produce finished booklets and 2- or 3-hole punching.

50-Sheet Finisher
This finisher lets you select multi-position stapling for documents up to 50 pages.




Optional FD5000 Multi-Fold Unit
Execute several different folds to create a variety of finished documents.

Optional RB5000 Ring Bind Unit
Punch holes and insert plastic rings to produce ready-to-distribute books.

BK5010e Booklet Maker
Saddle stitch up to 30 sheets to create 120-page booklets.

GBC StreamPunch™ III
Create professional-quality bound books with in-line punching in a variety of patterns.




Versatile Paper Sources
Standard paper sources include the Tandem 2 x 1,100-Sheet Paper Tray, two 550-Sheet Paper Trays and Bypass Tray for a total of 3,400 sheets. With additional options also shown here, this system can hold up to 7,400 sheets.

Ricoh MP C6501SP/C7501SP

Impressive Image Quality

The high-powered color print engine in the Ricoh Aficio MP C6501SP/C7501SP creates high-resolution images that capture your customers' attention.

- Maximize edge definition, coverage consistency and color density with breakthrough PxP oil-free toner from Ricoh. Smaller particles and a lower melting point combine to create smooth blends and solid fills.
- Help visually impaired users with a special printer driver function that adjusts color levels to enhance readability.




Expect vivid, intense colors with a powerful 1200 dpi print engine and new PxP oil-free toner.

Optimize Color Output

Configure the Ricoh Aficio MP C6501SP/C7501SP with the Fiery E-7200 print controller for professional-grade print and color control.

- Boost onboard power and expedite complex processing tasks with a 2.0GHz processor.
- Get all the advantages of Fiery color manipulation without giving up familiar Ricoh functionality for other tasks. Even if you choose the optional Fiery controller, you can keep user-friendly Ricoh menus for a full host of scanning capabilities.
- Streamline workflow with convenient drag-and-drop functionality. Just point and click to move files from the desktop to a print queue, prepare files for output or balance workflow among multiple connected devices.
- Maximize job-to-job efficiency with the Command WorkStation utility. Switch effortlessly from managing jobs to configuring the controller's settings.
- Bridge the gap between platforms. The Fiery controller provides identical functionality in both Windows and Mac environments.




Expedite full-color job processing with the incredibly fast, EFI Fiery E-7200 print controller.

Enhance Personal Productivity

The App2Me® solution revolutionizes document management, enabling users to create customized workflows and execute them anywhere they go.

- Download widgets to any client (desktop PC, laptop or Smartphone) and use them on any Ricoh MFP enabled with App2Me.
- Enjoy maximum convenience and a consistent experience at each App2Me-enabled MFP, which is completely personalized no matter where you go.
- Simplify complex workflows. Widgets can be created to combine, distribute, edit and create documents, as well as perform many other tasks automatically.
- Maximize productivity. App2Me improves efficiency through widgets that control a virtually endless array of MFP, software or Web service-driven workflows.
- Create specialized widgets for almost any need, in any framework across multiple platforms that App2Me supports, such as Google Desktop™ and more.



With App2Me, you can download time-saving and workflow-enhancing widgets and use them at any Ricoh MFP enabled with the App2Me solution.

Powerful Convenient Innovative Flexible

Multifunction Performance

The Ricoh Aficio MP C6501SP/C7501SP integrates a diverse range of capabilities into a relatively small footprint, enabling you to reach new heights of productivity and efficiency.

- Manage virtually any document-related task with this incredibly versatile, high-speed system. Choose from advanced printing, copying, faxing and scanning functions.
- Reduce network traffic with high-compression PDFs, especially when handling large full-color files.

Protect Every Document

Advanced security features ensure that sensitive documents and the system itself remain safe from multiple threats.




- Restrict system access to authorized users. The system supports external (Windows, LDAP) and internal (basic and user code) authentication.
- Protect business critical information with the DataOverwriteSecurity System (DOSS) option. It automatically overwrites the hard drive after copy, scan, fax and print jobs. You can also use the HDD Encryption option to protect data, even if the hard drive is removed or stolen.

Environmental Advantages

Many organizations are "going green" by setting goals for sustainability. The Ricoh Aficio MP C6501SP/C7501SP helps support these efforts.

- Minimize total energy consumption. The Ricoh Aficio MP C6501SP/C7501SP uses significantly less electricity without compromising speed, productivity or functionality. It is also designed to use less energy during sleep mode.
- Maintain outstanding image quality. With its lower melting point, PxF toner requires less energy, yet delivers the high-quality results you expect.



The Total Green Office Solution



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

Ricoh Aficio MP C6501SP/C7501SP

System Specifications

General Specifications

Configuration	Console
Scanning Element	Flatbed with moving 3-line CCD array image-scanning
System Memory	320GB (160GB x 2) (Shared)
Document Feeder	Standard 150-Sheet ADF with single-pass color duplex scanning
Copy Resolution	600 dpi
Color/Grayscale	256 Levels
Quantity Indicator	1 - 9,999
Original Type	Sheet/Book/Object
Original Size	Up to 11" x 17"
Warm-Up Time	MP C6501SP: <70 sec. MP C7501SP: <60 sec.
First Copy Speed	MP C6501SP: 5.7/7.5 sec. (BW/FC) MP C7501SP: 4.9/6.4 sec. (BW/FC)
Output Speed	MP C6501SP: 60/65 (FC/BW) MP C7501SP: 70/75 (FC/BW)
Standard Paper Capacity	1st Tray 1,100 x 2 550 sheets x 2nd & 3rd trays, 100-Sheet Bypass Tray 3,400 standard 7,400 sheet std. max capacity
Paper Size	5.5" x 8.5" to 12" x 18"
Paper Weight	14 lb. Bond - 80 lb. Cover (216 g/m ²) (Tray 1, 2) 14 lb. Bond - 140 lb. Index (253 g/m ²) (Tray 3) 17 lb. Bond - 90 lb. Index (163 g/m ²) (Duplex) 14 lb. Bond - 110 lb. Cover (300 g/m ²) (Bypass)
Magnification	7 reduction and 5 enlargement
Zoom	25% to 400% in 1% increments
Power Requirements	MP C6501SP: 120-127V/20A/60Hz MP C7501SP: 208-240V/20A/60Hz
Dimensions (WxDxH)	29.5" x 33.5" x 48.4" (including ADF)
Weight	<657 lbs.
Copier Features:	Auto Paper Selection, Auto Reduce/Enlarge, Auto Start, Auto Tray Switching, Auto Image Density, Duplex, User Codes, Stapling, Color Erase/Convert, Electronic Sort, Image Rotation, Rotate Sorting, Series Copy, Doc Server, User Tools, Job Presets, Book/Series/Combine, Insert Cover/SlipSheet, Chaptering, Tabs, Color/Image Creation, Sample Copy, Energy Saver, Image Adjustment, Multiple Priority Options
Printer Specifications (standard)	
CPU	Intel Pentium - M 1.4GHz
RAM	2GB (STD/MAX)
HDD	320GB (160GB x 2) (Shared)
Standard Interfaces	Ethernet (10/100BaseTX), USB2.0
Optional Interfaces	Parallel, Wireless LAN (IEEE802.11a/g) Bluetooth, Ethernet 1000 Base-T
Network Protocol	TCP/IP, IPX/SPX, AppleTalk
Operating Systems	Windows: 2000/XP/Vista/Server 2003, Server 2008. Netware: 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6, 6.5. Unix, Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX. MAC: OS 8.6 - 9.2x, OS X 10.1 or later
Print Drivers	PCL5c, PCL6, XPS (standard), Adobe PS3 (optional)
Max Print Resolution	Up to 1200 dpi
Scanner Specifications	
Scanning Resolution	Up to 600 dpi
Scan Area	Up to 11" x 17"
Scan Speed	Simplex BW 82 ipm/Duplex BW 125 ipm; Simplex Color 70 ipm/Duplex Color 115 ipm
Compression	BW/Binary - TIFF MMR/MMR Full Color/Grayscale: JPEG
Standard Interfaces	10/100BaseTX, Wireless LAN

Scanner Features:

BW/FC Photo, BW/FC Text, Auto Color, Auto Density, Image Rotation, Mixed Size, SADF, Batch. Scan-to Modes Supported: Scan-to-Email, Scan-to-Folder, Scan-to-URL, TWAIN Scanning, USB/SD2.0 Scan-to

Document Server Specifications (Standard)

Max. Stored Documents 3,000
Max. Pages per Document 3,000
Max. Stored Pages 15,000

Fax Specifications (Optional)

Circuit PSTN, PBX
Compatibility ITU-T (CCITT) G3, Additional G3 opt.
Resolution 200 x 100/200 dpi (400 dpi w/opt. SAF memory)

Compression Method MH, MR, MMR, JBIG
Scanning Speed 0.7 sec.
Modem Speed 33.6 K - 2,400 bps
Transmission Speed G3: Approx 2 sec.
Memory Backup 1 hour

Quick/Speed Dials 2,000 numbers
Group Dials 100 groups (500 per group)
Energy Saver Standard

Accessories

RT4000 DLT/LCT
Paper Capacity 2,000 sheets
Paper Size up to 12" x 18"
Paper Weight 14 lb. - 110 lb. Cover (300 g/m²)
Size 38.1" x 28" x 29.3"
Weight 192 lbs.

RT43/LCT
Paper Capacity 4,000 sheets
Paper Size 8.5" x 11"
Paper Weight 14 lb. - 34 lb. Bond (128 g/m²)
Size 12" x 18" x 26"
Weight 44 lbs.

CS391 9-Bin Mailbox
Number of Bins 9
Stack Capacity of Bins 100 sheets
Paper Size 5.5" x 8.5" - 11" x 17"
Paper Weight 14 lb. - 34 lb. Bond (128 g/m²)
Size 21" x 24" x 26"
Weight 33 lbs.

2 Source Cover Interposer
Paper Size 5.5" x 8.5" - 12" x 18"
Paper Weight 17 lb. Bond - 110 lb. Index (199 g/m²)
Size 28" x 29" x 50"
Weight 99 lbs.

SR5000 100-Sheet Staple Finisher**
Capacity (Proof Tray) 500 sheets (8.5" x 11" or smaller)
250 sheets (8.5" x 14" or larger)
5.5" x 8.5" - 12" x 18"
8.5" x 11" - 3,000 sheets
8.5" x 14" - 11" x 17" - 1,500 sheets
12" x 18" - 1,000 sheets
Paper Weight 14 lb. Bond - 110 lb. Cover (300 g/m²)
Staple 8.5" x 11" - 100 pages
8.5" x 14" - 11" x 17" - 50 pages
Size 31" x 29" x 39"
Weight 165 lbs.

**SR5000 must include Finisher Adapter Type C.

SR4030 50-Sheet Staple Finisher
Capacity (Proof Tray) 250 sheets (8.5" x 11" or smaller)
50 sheets (8.5" x 14" or larger)
5.5" x 8.5" - 12" x 18"
8.5" x 11" - 3,000 sheets
8.5" x 14" - 11" x 17" - 1,500 sheets
14 lb. Bond - 110 lb. Cover (300 g/m²)
Paper Weight 8.5" x 11" - 50 pages
8.5" x 14" - 11" x 17" - 30 pages
Staple 26" x 24" x 38"
Size 26" x 24" x 38"
Weight 119 lbs.

SR4040 Booklet Maker
Capacity (Proof Tray) 250 sheets (8.5" x 11" or smaller)
50 sheets (8.5" x 14" or larger)
5.5" x 8.5" - 12" x 18"
8.5" x 11" - 2,000 sheets
8.5" x 14" - 11" x 17" - 1,000 sheets
Paper Weight 14 lb. Bond - 110 lb. Cover (300 g/m²)
Staple 8.5" x 11" - 50 pages
8.5" x 14" - 11" x 17" - 30 pages

Saddle Stitch Staple*** 8.5" x 11" - 12" x 18" - 15 pages
Size 26" x 24" x 38"
Weight 139 lbs.

***Paper weight for saddle stitch stapling is 28 lb. Bond max.

FD5000 Multi-Folding Unit

Compatible with SR5000 and SR4040 only.

Folding Type:

Single Sheet Mode: 2-Fold, Half-Fold/Print inside, Half-Fold/Print outside, Letter Fold-in/Print inside, Letter Fold-in/Print outside, Letter Fold-out, Double Parallel/Print inside, Double Parallel/Print outside, Gate-Fold/Print inside, Gate-Fold/Print outside.
Multiple Sheets Mode: same as Single Sheet mode; up to 3 sheets.
Paper Size:
Single Sheet Mode: 2 folding: 8.5" x 11" - 12" x 18"; Half folding: 8.5" x 11"; Letter folding: 8.5" x 11" - 12" x 18"; Double Parallel/Gate folding: 8.5" x 11" - 12" x 18"; Multiple Sheets Mode: Half folding: 8.5" x 11" - 12" x 18"; Letter folding: 8.5" x 11"; Double Parallel/Gate folding: 8.5" x 11" - 12" x 18"

GBC StreamPunch III

Paper Size 8.5" x 11" LEF
Paper Weight 20 lb. Bond - 110 lb. Index (216 g/m²)
Die Sets CombBind®, Twin Loop Wire (2:1 or 3:1), ColorCoil®, VeloBind®, Three-Ring, ProClick®

BK5010e Production Booklet Maker

Paper Size 8.5" x 11" - 11" x 17"
Paper Weight 16 lb. Bond - 110 lb. Index (216 g/m²)

Ring Binder RB5000

Paper Sizes Supported 8.5" x 11" (LEF only)
Max. Binding Capacity 100 sheets/booklet
Ring Sizes Supported 50-sheet/100-sheet
Paper Weight Punched 17 lb. Bond - 80 lb. Cover (216 g/m²)
Paper Weight Bound 17 lb. Bond - 80 lb. Cover (216 g/m²)
Dimensions (WxDxH) 34.25" x 28.7" x 38.5"
Power Requirements 110/115V, 50/60Hz
Weight 319.6 lbs.

Additional Accessories

Single Source Cover Interposer Type 3260; Punch Unit for SR5000; Punch Unit for SR4030/4040; Jogger Option for 4030/4040; Legal Tray for RT43 LCT Type 1075; 11" x 17" Tray Type 2105; Copy Connector Kit Type 3260; Tab Sheet Unit Type 3260; File Format Converter Type E; HDD Overwrite Security Kit Type H; HDD Encryption Unit Type A; Copy Data Security Kit Type F; Adobe PostScript3 Type C7501; IEEE802.11a/g Type J; IEEE1284 Type A; Bluetooth Interface Unit Type 3245; Browser Unit Type E; G3 Interface Kit Type C7500; Key Counter Bracket Type 1027; Reader Key Card Bracket Type B; Key Card I/F Unit Type A; Gigabit Ethernet Type B; Copy Tray Type 2075; FAX Memory Unit Type B 32MB, USB2.0/SD Slot Type D

Fiery E-7200 Specifications

Controller Type	Embedded Type
Fiery Platform	Fiery E20
Maximum Continuous Print Speed	MP C6501SP: 65 ppm BW, 60 ppm color MP C7501SP: 75 ppm BW, 70 ppm color
CPU	Intel Core Duo T2500 2.0GHz
Host Interface	1000/100/10BASE-T
Memory	1GB
Internal HDD	80GB
Operating System	Linux
Network Protocol	TCP/IP (IPv4/IPv6), AppleTalk (Auto switching), SMB

Printer Description Language Adobe PostScript 3, PCL6/5c
Max Print Resolution Up to 1200 dpi
Max Scan Resolution Up to 600 dpi
Fonts PS3: 138 fonts/PCL: 80 AGFA fonts
Operation Panel On MFP
Utilities Standard: CommandWorkStation 5, Color Wise Pro Tools, Fiery Scan, Printer Delete Utility, Fiery Web Tools
Optional: SeeQuence Impose, Color Profiler Suite (UV version), Auto Trapping, Spot-On, Hot Folders

Color Management Tools ICC Profile, Color Chart, CMYK Color Reference Pages, RGB Color Tests, Trapping Support, ColorWise Pro Tools
Calibration Color Cal, Densitometer, Spectrophotometer

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

RICOH

www.ricoh-usa.com

Bringing Ricoh Value to Your Organization
Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

© Printed in U.S.A. on recycled paper because Ricoh cares.

Ricoh Americas Corporation, Five DeWick Place, West Caldwell, NJ 07090
Ricoh and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or file performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.

R3180-1

